


AIRCELLI SIZE A



	SPEC DESCRIPTION	MEASUREMENT
1	Backrest Width, Shoulder Region	19.50"
	Backrest Width, Lumbar Region	16.00"
2	Backrest Height (range)	25.38" - 27.25"
3	Lumbar Height (range)	6.25" - 12.00"
4	Seat Width	20.50"
5	Seat Depth (range)	17.00" - 19.00"
	Seat Height (range)	17.00" - 21.50"
6	Seat to Back Angle	80° - 110°
	7	Width Between Armrests (range)

	SPEC DESCRIPTION	MEASUREMENT
9	Armrest Height (range)	7.25" - 11.75"
	Arm Pad Length	10.00"
10	Arm Pad Width	4.50"
10	Arm Pad Horizontal Adjustment	2.00" range of travel
	Arm Pad Pivot	15° inwards
10	Arm Pad Pivot	15° outwards
	Armrest Rotation	360°
11	Base Diameter	26.00"
	Weight Capacity	300 lbs.

*Specifications are for **A2707** in standard configuration. Measurements are consistent with BIFMA G1-2013 Guidelines.

AIRCELLI



DESIGN YOUR CHAIR

AIRCELLI - SIZE A		CODE
		A270
STEP 1	SELECT THE BACKREST MESH COLOR	
	Onyx Mesh	-O
	Platinum Mesh	-P
	Cupron Copper Mesh	-CC
	Cupron Graphite Mesh	-BC
STEP 2	SELECT THE HEADREST SUPPORT	
	No Headrest	-
	Aircelli Headrest	:AH
STEP 3	SELECT THE LUMBAR SUPPORT	
	Air Cell Lumbar	-
	No Air Cell Lumbar	:NA
STEP 4	SELECT THE SEAT CONTOURING	
	Moderate Contouring	7
	Minimal Contouring	7x
	No Contouring	8
STEP 5	SELECT THE SEAT FOAM	
	Standard High Density Foam	-
	High Density Foam Plus <i>(includes an additional layer of High Density Foam)</i>	:XF
	S'port Foam	:SFS
	S'port Foam Plus <i>(includes an additional layer of S'port Foam)</i>	:SFS:XF
	Tailbone Cut <i>(includes a single layer of S'port Foam)</i>	:TBC
STEP 6	SELECT THE ARMS	
	Optima Arms	:AOPR:AOPL
	Optima Arms with Upholstered Pads	:AOPHR:AOPHL
STEP 7	SELECT THE CYLINDER	
	Black Aircelli Cylinder - Standard Height	:Y16
	Chrome Aircelli Cylinder - Standard Height	:Y17
STEP 8	SELECT THE BASE	
	Black Aircelli Base - 26" Diameter	:B18
	Brushed Aluminum Aircelli Base - 26" Diameter	:B20
	Chrome Aircelli Base - 26" Diameter	:B19

Steps 9-12 continue on the following page.

AIRCELLI



DESIGN YOUR CHAIR (CONTINUED)

		CODE
STEP 9	SELECT THE CASTERS	
	Black Multi-Surface Aircelli Casters - 65mm	:C18
	Chrome Multi-Surface Aircelli Casters - 65mm	:C27
STEP 10	SELECT THE FABRIC (SEE FABRIC CARDS FOR FABRIC COLOR OPTIONS)	
	Grade 1 Fabric	:FABRIC NAME - COLOR
	Grade 2 Fabric	:FABRIC NAME - COLOR
	Grade 3 Fabric	:FABRIC NAME - COLOR
	Grade 4 Fabric	:FABRIC NAME - COLOR
	Grade 5 Fabric	:FABRIC NAME - COLOR
	Leather	:FABRIC NAME - COLOR
STEP 11	SELECT THE FABRIC STITCHING (AVAILABLE ON SELECT FABRICS)	
	No Double Stitching	-
	Double Stitching - Smooth	:S1
	Double Stitching - Gathered	:S2
STEP 12	SELECT OTHER OPTIONS	
	No Other Options	-
	Customization (any approved modification not listed in options)	:CU